

KL 1600

ELECTRIC CHAINSAW

Power	Motor	Voltage	Saw Chain Speed	Bar Length
1600 w	Copper	220 v	800 M/Min.	16"

The entry level model of the KEIL electric Chain Saws. Ideal for cutting smaller wooden logs. Basically for home or semi professional usage.



KL 2200

Power	Motor	Voltage	Saw Chain Speed	Bar Length
2200 w	Copper	220 v	800 M/Min.	20"



- 1 Higher efficiency motor, magnetic circuit design, more professional mechanic structure, more matured oil pumping system.
- 2 Reasonable oil pumper structure, gear pump oil, oil stability, durable.
- 3 Aluminium plate, directly stuck the guide board to strengthen the fastening of the sprocket plate.
- 4 Professional section, gear practising, falling prevention.

KL 2400

ELECTRIC CHAINSAW

Power	Motor	Voltage	Saw Chain Speed	Bar Length
2400 w	Copper	220 v	800 M/Min.	18"

This is the semi-professional model of Keil Electric Chainsaw offering 2400 Watts Power with 18" oregon bar and chain



- Over loading protection.
- Equiped with oregon Bar & Chain.
- Automatic oil pump System.
- Tool less assembling & operation.

KL 3000

Power	Motor	Voltage	Saw Chain Speed	Bar Length
3000 w	Copper	220 v	800 M/Min.	28" / 36"

The most powerful electric chainsaw machine equipped with copper armature delivering 3000 watts actual power to meet the cutting needs of the professional users.

The first single phase electric chainsaw providing 28" / 36" guide plate size to satisfy the professional needs of the users effectively & efficiently.



# KLBC 4350 PROFESSIONAL

# GASOLINE BRUSH CUTTER

Displacement	Rated Power	Dry Weight	Engine
42.7CC	1.25kw/1.74hp	6.0kg	2stroke



3 teeth grass cutting blade



Auto cut mowing head



Double shoulder harness



# KLBC 4360 PROFESSIONAL

Displacement	Rated Power	Dry Weight	Engine
42.7CC	1.25kw/1.74hp	8.2kg	2stroke



3 teeth grass cutting blade



Auto cut mowing head



Double shoulder harness



# KLBP 5350 PROFESSIONAL

# GASOLINE BRUSH CUTTER

Displacement	Rated Power	Dry Weight	Engine
51.7CC	1.4kw/1.9hp	11.0kg	2stroke



Alloy grass cutting blade



Auto cut mowing head



Double shoulder harness



# KLBC 3600 PROFESSIONAL

Displacement	Rated Power	Dry Weight	Engine
36.0CC	0.8kw/1.0hp	7.8kg	4stroke



4 Stroke Engine



3 teeth grass cutting blade



Auto cut mowing head



Double shoulder harness



# KLBP 3650 PROFESSIONAL

# GASOLINE BRUSH CUTTER

Displacement **36.0CC** | Rated Power **0.8kw/1.0hp** | Dry Weight **11.0kg** | Engine **4stroke**



4 Stroke  
Backpack  
Brush  
Cutter



Alloy grass  
cutting blade



Auto cut  
mowing head



Double shoulder  
harness



## Tiller Attachment

## Grass Cutter Attachment



# KEIL EA52 ECONOMIC

Displacement	Rated Power	Dry Weight	Engine
51.7CC	1.4kw/1.9hp	8.5kg	2stroke



# EARTH AUGER



KEIL robust one or two men earth auger. Featured extensively such as powerful performance, flexible operating system, quick stop braking system and various specifications of the drill bits. Goods choice for you when driving holes in the ground. Planting trees or building fences suitable for different soil type, tough soil also. Save time and efficient.

**BITS SIZE OPTIONS : 2", 3", 6", 8", 10", 12"**

# KLHT 2600 PROFESSIONAL

Displacement	Rated Power	Dry Weight	Engine
25.4CC	0.7kw/0.99hp	5.7kg	2stroke



### Anti-Vibration System

Special four strong springs bring nice anti-vibration. Such ergonomics design bring suitable & long time using. Enjoy your work and life.

### 01 Speed Holding Design

Put down the black switch, you can keep speed without your hand, sustained holding the trigger, long time work, no fatigue.

### 02 Trouble Free Starting

The design of engine and starter ensures that the machine can be start very easily with minimum effort, getting you working quicker.

### 03 Double Sided Blade

Ensure an efficient cutting system.

### 04 Comfortable Front Handle

Ergonomic design of additional coat on the handle, the soft grip thinkable for your comfort holding.

### 05 180° Rotation Rear Handle

Through the trigger, you can 180° rotate the handle during your cutting.

# KEIL ECO 4 in 1 Multi Purpose Machine

Displacement **42.7CC** | Rated Power **1.25kw/1.74hp** | Dry Weight **8.2kg** | Engine **2stroke**



A good partner, with the most cost-effective, meet all the requirements of the gardener, pole pruner, long reach hedge trimmer, brush cutter, grass trimmer, flexible shaft, thinkable for your storage and transportation.



Bore (mm)	Φ34
Stroke (mm)	28
Displacement (ml)	25.4
Rated Power (kW)	0.85
Max Speed (rpm)	10,000
Idle Speed (rpm)	3,000
Fuel Tank Capacity (ml)	700
Oil Tank Capacity (ml)	137
Dry Weight (kg)	9.6
Transmission System	
Clutch + Hard Shaft+ Gearbox	
Working Shaft Lengths (mm)	800+800
Working Shaft Dia. (mm)	Φ24
Pole Pruner Cutting Lengths	10"/250 12"/300
Hedge Trimmer (mm)	20"/510
Drive Shaft Dia. (mm)	7
Shaft Teeth	7
Line Head Trimmer (mm)	415
Line Shape	Round
Line Dia. (mm)	2.5
Cutter Blade (mm)	255
Blade Thickness (mm)	1.4 / 2.0

# KEIL ECO BRUSH CUTTER

Displacement **42.7CC** | Rated Power **1.25kw/1.74hp** | Dry Weight **8.2kg** | Engine **2stroke**



Alloy grass cutting blade



Auto cut mowing head